	CLASSIFICATION SECRET	<u>.</u>	25
	CENTRAL INTELLIGENCE AGENCY	REPORT NO.	
	information report	CD NO.	
DUNTRY	Germany (Russian Zone)	DATE DISTR. 5 June	1972
JBJECT	Construction Projects of the DIR-Railroads	NO. OF PAGES 3	
		NO OF FNCIS 4 and	nexes 25X1
		SUPPLEMENT TO REPORT NO.	Ş+1
			75 X 1
1.			²⁵ 25
1.			² 253
2.	The construction of a connecting curve near Buch, poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. Work on the been started. (2)	stment plan. The com	en post-
	poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. Work on the	estment plan. The con a staking out of the con a marshaling yard was al and departure line so that most of the t are a critical item i	pen post- pletion curve has restricted es and the cracks at
2.	poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches cone of Bernany, source did not believe that consider resumed in the foresceable future. (3) In early March 1952, source learned that the Designs Bureau of the Berlin regional rales 1952, was ordered to improve grades and curves on	estment plan. The constant staking out of the constant and departure line so that most of the tare a critical item is truction work at the dilroad headquarters, the Treuenbrietzen-I	restricted es and the cracks at in the Soviet yard would to the crack the crack that the soviet yard would to the crack that the soviet yard would to the crack that the soviet yard would the crack that
2.	poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The writches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches cone of Bernany, source did not believe that consider resumed in the foresceable future. (3) In early March 1952, source learned that the Designs Bureau of the Berlin regional ra	estment plan. The constant staking out of the constant and departure lines so that most of the tare a critical item intruction work at the direction work at the direction work at the fire complete. The Treuenbrietzen ins. (4) Source also of the Dorlin Outer Fr	restricted es and the cracks at in the Soviet yard would for the crack at in the first would for the crack at in the soviet yard would for the crack at the crack at in the soviet yard would for the crack at the cr
2.	poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches have not been also arrived in the foresceable future. The project is that consider that the Designs Bureau of the Derlin regional rates 1952, was ordered to improve grades and curves on road line so that it can carry heavy freight trait that the rail link between the southern section of and the line to Dresden was scheduled to be built	estment plan. The constant staking out of the constant and departure lines so that most of the tare a critical item intruction work at the direction work at the direction work at the fire complete. The Treuenbrietzen ins. (4) Source also of the Dorlin Outer Fr	restricted es and the cracks at in the Soviet yard would for the crack at in the first would for the crack at in the soviet yard would for the crack at the crack at in the soviet yard would for the crack at the cr
2. 3.	poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The Sedding to laying track. The switches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches have not been also arrived in the foresceable future. The project is that consider that the Designs Bureau of the Derlin regional rates 1952, was ordered to improve grades and curves on road line so that it can carry heavy freight trait that the rail link between the southern section of and the line to Dresden was scheduled to be built	estment plan. The constant staking out of the constant and departure line so that most of the tare a critical item intruction work at the dilroad headquarters, the Treuenbrietzen-Ins. (4) Source also of the Borlin Outer From south of Gross Deero swalde railroad line, roject scheduled to coneral Erwin Kramer de	restricted es and the cracks at in the Soviet yard would for all learned reight Ring on and not 25 which in cost 80
2. 3. 4.	poned indefinitely, was included in the 1952 invedate for the project is 1 July 1952. The project is 1 July 1952. The project is 1 July 1952. The projected construction of the Geddin to laying track. The writches required for arrive connections between the tracks are still lacking the parshaling yard cannot be used. As switches have a fermany, source did not believe that consider resumed in the foresceable future. (3) In early March 1952, source learned that the Designs Bureau of the Derlin regional rales, was ordered to improve grades and curves on road line so that it can carry heavy freight trait that the rail link between the southern section of and the line to Dresden was scheduled to be built near Tahlow. (5) The projected construction of the Loewenberg-Eber January 1952 was classified as a first priority public eastmarks, was postponed when Director General constructor of the Loewenberg-Eber January 1952 was classified as a first priority public eastmarks, was postponed when Director General constructor of the Loewenberg-Eber January 1952 was classified as a first priority public eastmarks, was postponed when Director General constructor of the Loewenberg-Eber January 1952 was classified as a first priority public eastmarks, was postponed when Director General construction of the Loewenberg-Eber January 1952 was classified as a first priority public eastmarks.	estment plan. The constant staking out of the constant and departure line so that most of the tare a critical item intruction work at the dilroad headquarters, the Treuenbrietzen-Ins. (4) Source also of the Borlin Outer From south of Gross Deero swalde railroad line, roject scheduled to coneral Erwin Kramer de	restricted es and the cracks at in the Soviet yard would for all learned reight Ring on and not 25 which in cost 80

25X1

25X1

Approved For Release 2003/02/27: CIA-RDP82-00457R012000030002-7

- 7. Construction projects previously not contained in the 1952 investment plan of the Borlin regional railroad headquarters include:
 - a. Construction of a connecting curve in Drandenburg; estimated cost: 7.5 million eastmarks. (7)
 - b. Construction of a connecting curve in Gross Beeren; estimated cost: 5 million eastmarks. (5)
 - c. Improvement of the Tremenbrietzen-Jactorbog railroad line; estimated cost: 10 million eastmarks. (h)
 - d. Construction of a second track on the Bross Deeren-Jueterbog line; estimated cost: 6 million eastmarks.
 - e. Construction of a second track on the Seddin-Belgig line; estimated cost: 1, million castmarks. (8)

Source learned		25X1
on the double	tracking of the Ruhland-Falkenberg railroad line would	
be started on	1 April 1952. (9)	

ှ. [a chart showing the organizational set-up of the Main Administration "Railroad Installations" and dated 1 February 1952 [10]	25X1
10.	· · · · · · · · · · · · · · · · · · ·	25X1

	·	
١		
١		
١		
١		
1		
١		
١		
١		
١		
١		
١		
١		
١		
١		
١		
١		
١		
١		
١		
١		
١		
١		
I		
1		
١		
l		
I		
1		

25X1

		33.77
•		· · · · · · · · · · · · · · · · · · ·
25X1A		
		Jorntonta.
	(1)	This was don't was said a 73 m 2
	(1)	This project was originally classified as a first priority project. Its 25X1.
		postponement is reported for the first time. The reasons for this measure, 25X1 if it is true, are unknown.
	(2)	This project, which had been postponed, is now to be executed.
		A sketch of the connecting curve was transmitted previously.
	(3)	Information on the reconstruction and capacity of the Seddin marshaling yard
		was translitted previously. See 25X1
•	(4)	the railroad lacilities for the ductorboy troop training grounds would be
	161	aided by an improvement of this line.
	1.27	The construction of this connecting curve would improve the connections to the
		southern section of the Berlin Outer Freight Bing. For plan of the connecting line, see Annex 1.
	(6)	Eiltencorf is the receiving station for the Foundry Combine Mast in Fuerstenberg/
		Uder. See Annex 2.
	(7)	The planned construction of a correcting curve near Brandonburg was reported
25X1A		previously, ace
	(0)	This construction project was reported previously.
	(2)	This information is received for the first time. The improvement of the
		Fuhland-Falkenborg railroad line may be the first step for the creation of a new east-west route leading from Horka-schrhirch via Fuhland and Falkenberg
•		toward TagCoburg or Leipzig and Trurt.
25X1	(10)	For organizational chart, see Annex 3. The upper section of the
25X1	[shows the intended reorganization within the Directorate
		General, Railroads, Berlin, while the lover section shows the corresponding
		organizational set-up at the regional railroad headquarters. A similar organia
		rational plan was transmitted previously.
25X1	(11)	The implementation of the plan has not been reported to date.
20/(1	,/	for postruction plan, see Annex 4. Information on the construction of the sublineide marshaling yard was transmitted previously.
		102 Item Teporos, See / /5X1
	(12)	These letters underline the previously known difficulties of supplies of switches.
		Day parado or purposicos

To Michendon Genshagener Heide Ludwigsfelde

- double track

single track

- planned track

25X1 SECRET SOURCE DECRETEOR

not to scale

ta Justerbog

Approved For Release 2003/02/27 : CIA-RDP82-00457R012000030002-7